



**NOTES:**

1. ALL NEW PIPING SHALL BE PVC (SDR 26), HDPE (SDR 17), OR APPROVED EQUAL UNLESS OTHERWISE NOTED. PIPE TO BE SAME I.D. AND MATERIAL AS LATERAL. CLEAN-OUT SIZE SHALL MATCH DOWN STREAM LATERAL.
2. WHERE THERE ARE NO FRONTAGE IMPROVEMENTS, INSTALL CLEAN-OUT AT PROPERTY LINE.
3. ALL CLEAN-OUT BOXES SHALL BE CHRISTY CONCRETE PRODUCTS MANUFACTURED BY OLDCASTLE PRECAST, INC. WITH THE FOLLOWING MODEL NUMBERS:

	4" RISER		6" RISER	
	NON-TRAFFIC	TRAFFIC	NON-TRAFFIC	TRAFFIC
BOX	F08	G05T	G05T	G05T
LID	F08C	G05C	G05C	G05C

4. LIDS SHALL BE MARKED "SEWER".
5. STAMP OR GRIND FACE OF CURB WITH "S" WHERE LATERAL PASSES UNDER CURB, IF NOT PRESENT.
6. 1/8 BEND MAY BE PART OF 45° WYE IF APPROVED BY CITY.

Revision	Date	Approved
Drawn: QT	Date: 12-23-14	
Checked: LA	Scale: NTS	
APPROVED BY: No. 57093 <i>Jacqueline C. Solomon</i> ASSISTANT PUBLIC WORKS DIRECTOR		
01-08-14 DATE	92-33-15 EXP.	57093 R.C.E. NO.

CITY OF MOUNTAIN VIEW  
PUBLIC WORKS DEPARTMENT  
STANDARD DETAIL

SEWER LATERAL CLEAN-OUT  
EXISTING  
4" AND 6" LATERALS

FILE NO. C-8